

USB READER 3 MAGSTRIPE



YSoft USB Card Reader 3 is an ideal solution for secure identification verification when used with YSoft SafeQ on a multifunction or networked print device. Identification verification can be used with YSoft SafeQ Embedded Terminals or supported YSoft External Terminals. Its modern format supports a mix of technologies and provides customizable options.

HIGHLIGHTS INCLUDE

- Easily swipe ID card to read magnetic stripe
- Enclosed housing with a small footprint and RGB LED indicator lights
- In-field customizable and upgradable
- Custom configuration tool and card auto detection allows for fast and easy set up
- Multi-length, detachable cables and mounting kits available

Y Soft designs, tests and manufactures USB Card Reader 3 in the European Union and provides global certifications and logistics through warehouses located in the Czech Republic, USA, China and Singapore.

TECHNICAL DATA

| | |
|----------------------|---|
| Reader technology | Magnetic stripe |
| Frequency | N/A |
| Housing | Material ABS |
| Dimensions | 86mm × 51mm × 37mm |
| Power supply | 5V via USB |
| Current consumption | max. 500mA |
| Temperature range | Operating: +5°C to +35°C, Storage: 0°C to +50°C |
| Host interface | USB 2.0 full speed (12Mbit) |
| OS support | Windows 2000 and higher, Linux kernel 2.6.32 or higher |
| Modes of operation | USB keyboard emulation, USB virtual COM port |
| User interaction | Beeper, RGB LED |
| Relative humidity | Operating: 20% to 85% non-condensing, Storage: 8% to 85% non-condensing |
| Certifications | EAC/Eurasian Customs Union (Russia, Belarus, Kazakhstan, Kyrgyzstan, Armenia) ACMA+Radcomms (AU, NZ) CE (Europe) |
| Average failure rate | < 0.5% |
| Weight | 68g (without cable), 183g (with package and accessories) |

AVAILABLE PRODUCTS

| PRODUCTS | USB READER 3 MAGSTRIPE |
|--------------------|------------------------|
| External Part no.* | YSQB0-003-086x |
| External Name | USB Reader 3 Magstripe |

NOTES

Protocol 117 should not be used for user identification; it is a special protocol intended as an aid for card testing and some limitations may apply.

SUPPORTED TECHNOLOGIES

- Magnetic stripe (ISO 7811, HiCo, LoCo)
- Magstripe IATA
- Magstripe ABA2
- Magstripe TTS
- Magstripe NTT
- Magstripe CADMV
- Magstripe AAMVA
- Magstripe Securitas

© 2021 Y Soft Corporation a.s. Y Soft and YSoft SafeQ, are trademarks or registered trademarks of Y Soft Corporation, a.s. in the European Union and/or other countries. All other trademarks and/or registered trademarks are the property of their respective owners. Information is subject to change without notice. YSQ-DS-USB3_MAG-4-2021